



GRAND LIGHTING™

GL30 Gen II_L25 LED Projector

Encased in an IP65 enclosure this fully weatherised fixture is perfect for your outdoor installation and compact and quiet to use indoors. The high quality optical system produces a crisp vivid gobo image and the flat field gives you a crystal clear projection right to the edge.

All come with your choice of fixed lens to suit your location and built in gobo rotation that can be easily turned on or off using the front facia button.


FEATURES

- High quality optical system offers sharp image quality
- Low weight and compact design
- Available in black or silver
- Standard Lens Available:
 - F140 Very Narrow Lens
 - F100 Narrow Lens
 - F70 Medium Lens
 - F56 Wide Lens
- Fully weatherised IP65 rated fixture suitable for both indoor and outdoor installation
- Utilising a 30W CREE XHP70 (extreme high power) LED capsule.
- Image rotation function comes as standard. This feature can easily be turned on or off using the front facia button
- Quiet operation making it suitable for indoor use
- 53.3mm gobo size
- Cool white LED as standard. Warm white available.

DIMENSIONS

- Length (excluding lens): 240mm
- Length (including lens): approx 300mm
- Width (with knobs) : 190mm
- Body Height: 135mm
- Height (with base): 215mm
- Weight: 2.7kg
- External Power Supply IP65 Meanwell HLG-40H-15A: 170mm x 62mm x 38mm
- Input Voltage: 100-240V AC
- Average Power Consumption: 30Watts


PHOTOMETRICS




	GL30 Gen II_L25	F140 VERY NARROW LENS		
Projection Diameter (m)	0.35m	0.70m	1.05m	1.40m
Luminance (lux)	6400 lux	1600 lux	711 lux	400 lux
Projection Distance (m)	2m	4m	6m	8m



	GL30 Gen II_L25	F100 NARROW LENS		
Projection Diameter (m)	0.46m	0.91m	1.37m	1.82m
Luminance (lux)	3840 lux	960 lux	427 lux	240 lux
Projection Distance (m)	2m	4m	6m	8m





	GL30 Gen II_L25	F70 MEDIUM LENS		
Projection Diameter (m)	0.67m	1.34m	2.01m	2.68m
Luminance (lux)	2280 lux	570 lux	253 lux	143 lux
Projection Distance (m)	2m	4m	6m	8m



	GL30 Gen II_L25	F56 WIDE LENS		
Projection Diameter (m)	0.83m	1.66m	2.50m	3.33m
Luminance (lux)	1600 lux	400 lux	178 lux	100 lux
Projection Distance (m)	2m	4m	6m	8m

*LUX values indicated are not peak values, which may be higher.
We give average LUX readings taken under actual tests.*

PHYSICAL DIMENSIONS



Fixture in Use



Grand Lighting GL30 - B&W Glass Gobo



Grand Lighting GL30 - B&W Glass Gobo



Grand Lighting GL30 - Full Colour Glass Gobo